

TEMPORARY

THE STATE OF NEVADA PERMIT TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Name of applicant: NEWMONT GOLD COMPANY

Source: UNDERGROUND

Basin: MAGGIE CREEK AREA

Manner of Use: MINING AND MILLING

Period of Use: January 1st to December 31st

Priority Date: 10/15/1991

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This temporary permit to change the point of diversion of a portion of the waters of an underground source as heretofore granted under Permit 56837 is issued subject to the terms and conditions imposed in said Permit 56837 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030.

This temporary permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

This temporary permit is issued under the preferred use provisions of NRS Chapter 534. The manner of use of water under this permit is by nature of its activity a temporary use and any application to change the manner of use granted under this permit will be subject to additional determination and evaluation with respect to the permanent effects on existing rights and the resource within the ground water basin.

The issuance of this temporary permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies, and is specifically issued contingent upon approval by the Nevada Division of Environmental Protection of the dewatering project.

This temporary permit will allow the permittee to dewater the pit area. Any water obtained under Permits 53384, 53385, 54339, 54340, 54341, 55616, 55617, 55618, 55619, 56831 through 56839, inclusive, and any subsequent changes of the above mentioned Permits, as a result of the dewatering program by the permittee, will be used first for the beneficial uses of mining, milling, heap leaching, drilling, construction, dust suppression, road watering and other related mining and milling uses within the place of use as described, hereinafter referred to as mining and milling purposes.

Water may be placed in the Maggie Creek Reservoir (approved on July 21, 1992, under Dam Safety Permit J-387) and any discharge of water from the reservoir must be in accordance with the permit issued by the Nevada Division of Environmental Protection. Any water discharged to the Humboldt River or any of its tributaries will be subject to the Humboldt River Decree.

Any adverse impacts on the Humboldt River System caused by this dewatering must be mitigated in a manner approved by the State Engineer. Water not used for mining and milling purposes must be used for mitigating any impacts to existing groundwater or surface water right holders. Before any water can be utilized for mitigation purposes, the permittee must apply for and receive any necessary approval from the State Engineer. The State Engineer may require the excess water be used for other possible mitigation measures, including but not limited to injection or substitution for other permitted groundwater uses.

The permittee shall discharge water in a manner to achieve maximum conservation of the water resource. It is understood that this right must allow for a reasonable lowering of the static water level.

The State Engineer will retain the right to require additional monitoring of water levels in observation and monitor wells and of flow rates of surface sources. The permittee, on a quarterly schedule, will prepare and present an update on the activities of the mine and dewatering projects, and the Maggie Creek Basin Monitoring Plan, submitted September 10, 1992. (Continued on Page 2)

The total combined duty of water for consumptive purposes under Permit 40900, Certificate 13392; Permit 47962, Certificate 14015; Permits 48328, 48330, 48910, 48911, 48912, 49550, 49916, 51962, 52330, 52331, 52332, Certificate 14019; Permit 52883, Certificate 13398; Permits 52884, 53384, 53385, 54339, 54340, 54341, 54510, 55616, 55617, 55618, 55619, 56831 through 56839, inclusive, Permits 62532, 68272, 72764 and 75532T through 75548T, inclusive, shall not exceed 10,660.42 acre-feet annually for mining and milling purposes. The total combined diversion rate under all permits associated with the dewatering program and all related mining and milling purposes will not exceed 110.0 cubic feet per second on an instantaneous basis.

Monthly records shall be kept of the following and reported within 10 days after the end of each month:

- A. The total volume of water pumped from each diversion in acre-feet,
- B. The maximum flow rate from each diversion in cubic feet per second,
- C. The pumping water level from each well in feet above mean sea level,
- D. The volume of water consumptively used for mining and milling in acre-feet,
- E. The volume of water diverted to the reservoir and/or infiltration sites in acre-feet,
- F. The amount of water diverted to other consumptive uses, if any, in acre-feet,
- G. The amount of water lost through evaporation or other system losses project wide, including evaporative losses and seepage losses from the reservoir and
- H. The surface drainage name and volume of water discharged to surface drainage.

This temporary permit is issued subject to, and also incorporates the terms and conditions set forth in the State Engineer's Order No. 1055, Order Adopting Rules For Well Spacing and Modification of Regulations For Water Well and Related Drilling (January, 1990) In a Portion Of The Heretofore Designated Maggie Creek Ground Water Basin (4-51), dated April 1, 1992, on file in the office of the State Engineer.

A year-end report must be submitted to the State Engineer no later than 45 days after the end of each calendar year. The report will state: (1) the number of wells drilled under the permits, (2) the number of abandoned wells, (3) the exact location of each well drilled or abandoned, and (4) a supporting map illustrating well locations.

All groundwater and surface monitoring data must be submitted to the State Engineer on the same basis as specified in Appendix "A" Mitigation Plan of the Final Environmental Impact Statement, Newmont Gold Company's South Operations Area Project (November 1993).

Upon permanent cessation of all mining, milling and dewatering purposes, all water granted under the permits will revert back to the source from which it was appropriated, except for any water requirements needed for any mine closure plan and/or to mitigate any adverse effects caused by dewatering.

The State Engineer retains the right to require at any time the permittee cooperate in the funding of additional monitoring and modeling by an independent third party. The State Engineer retains the right to impose future conditions as necessary upon review and evaluation of all data submitted reporting on the dewatering program, water use and the monitoring plan. The State Engineer retains the right to regulate pumping from the dewatering project and/or any other groundwater withdrawals herein authorized to protect the public interest and existing rights.

This temporary permit is issued pursuant to the provisions of NRS 533.345 Section 2 and accounts for pumpage in calendar year 2006 and therefore expires one day after the date of approval, at which time all rights herein granted shall revert to the right being changed by this temporary permit.

The point of diversion and place of use are as described on the submitted application to support this permit.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 3.632 cubic feet per second or 2629.46 acre-feet annually.

Work must be prosecuted with reasonable diligence and proof of completion of work shall be filed on or before:

<u>N/A</u>

Water must be placed to beneficial use and proof of the application of water to beneficial use shall be filed on or before:

Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, TRACY TAYLOR, P.E.,

State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 315 day of January, A.D. 2008

State Engineer

Temporary

Serial No. 75537 T

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

	THIS SPACE FOR OFFICE USE ONLY				
	Date of filing in State Engineer's Office	APR 1 0 2007			
	Returned to applicant for correction				
	Corrected application filed	Map filed APR 2 6 2007 under 75532-T			
7	The applicant Newmont Gold Company				
_	Environmental Department, PO Box 669	of Carlin City or Town			
	Street and No. or P.O. Box No. Nevada, 89822	City or Town			
-		hereby makes. application for permission to change the			
-	Point of Diversion of a portion				
C	of water heretofore appropriated under Permit 56837 Results existing right by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree				
	nd identify right in Decree.				
-	v4.5.57	5-15-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-			
•					
٠١	1. The source of water isUnderground				
7	Name of stream, like, underground, spring or other sources. Name of stream, like, underground, spring or other sources. 2. The amount of water to be changed 3.632 cfs, 2029 acro-foot 500 second foot courses 448.83 galloes per minute.				
•		SOCIAL DOOR SALE-TOOL SHE INCOME LOSS ASSESSMENT AND SALES SALES			
	3. The water to be used for Mining million largestim, power.	g, dewatering, domestic, irrigation, infiltration, and surface discharge mining, commercial, etc. If for stock state number and kind of animals. Must limit to one major use.			
	The water heretofore year for Mining, milling, dewatering, domestic, irrigation, infiltration, and surface discharge				
	If for stock state number and kind of animals. 5. The water is to be diverted at the following point. Gold Quarry Mine - GQDW 17				
	7. The water is to be diverted at the following point				
	within the SE¼ NE¼, Section 35, T34 N, R51 E, M.D.M., at a point from which the NW comer of said section				
	35 bears N 62°08'43" W a distance of 4611 feet.				
	Describe as being within a 40-acre subdivision of public surv	ry and by course and distance to a section corner. If an unserveyed land, it should be stated.			
	6. The existing point of diversion is located	d within Gold Quarry Mine - Order 1055 SW35 If point of diversion is not changed, do not answer.			
	within the CIAII/ Co-4 OF TO 4 1 DE	E 14 D 14 at a point from which the NE comer of section 26			
	T34N, R51E, M.D.M. bears N 66°52' E a	E, M.D.M., at a point from which the NE comer of section 36, distance of 10008 feet.			

51-61

	Proposed place of use			
3. J	Existing place of use Se			***************************************
		Describe by legal sub-	livisions. If permit is for irrigation, state number	of acres irrigated.
		-		
· -40-1-1-	• Balle 141 123 124 124 144 144 1	:		
			prior permit, describe acreage to be removed from	=
).	Use will be from	January 1 Month and Day	to	of each year
) .	Use permitted from	January 1	to December	31 of each year
-	Political Continues	Month and Day	Month and Day	or each year
l.	Description of proposed a	works. (Under the provision	ons of NRS 535.010 you may be re-	quired to submit plans an
eci	fications of your diversion	or storage works.) Dril	led, cased well with motor and p	ump, totalizing flow
		-6	Susse manner in which water is to be dive	rted, l.e. diversion structure, ditche
106 2	er, and pipeline to the p ad Rumes or drilled well, pump and	motor, etc.		n i tipe i traduci le co de fabile del 2 bel nè le edine, ce mpre e ga papagged.
2.	Estimated cost of works	\$25,000 (twenty-five th	ousand dollars)	
3,	Estimated time required to	o construct works	leted; Drilled, cased well with moto	
net	er, and pipeline to the p	lace of use.		
1.	Ferimutad time comined to	o governments that the state of	o voar	e
	rounteed time technism	a complete me application	of water to beneficial use. 9 year.	J
5.	Remarks: For use other	than irrigation or stock w	atering, state number and type of u	nits to be served or annua
)ASU	imptive use.			
his	application is submitte	d according to Well-Spa	cing Order 1055.	
	# v # 			
			\ \ \ \ \	
	775-778-4318 Phone No.	2-4	By Scott Paine Water Right	s Administrator
441-45	FIRANC NQ,		Print of type na	
***1-#\$			\ ((N) \ X=	
P441- <u>6</u> 5	March 23, 2007		Signature, applican	me clearly
*****	March 23, 2007	701110 000000	Signature, applican	me clearly
₽P		TOLLUG GREEN! E. SIGNED	Environmental Department, Street and No., or P.	me clearly
 PP Y	March 23, 2007 LICATION MUST BI THE APPLICANT O	E SIGNED	Signature, applican	t or agent PO Box 669 0. Box No.

į

.

```
Section 21, T34 N, R51 E, M.D.M.
  Section 22, T34 N, R51 E, M.D.M.
  Section 23, T34 N, R51 E, M.D.M.
  Section 24, T34 N, R51 E, M.D.M.
  Section 25, T34 N, R51 E, M.D.M. Section 26, T34 N, R51 E, M.D.M.
  Section 27, T34 N, R51 E, M.D.M.
  Section 28, T34 N, R51 E, M.D.M.
Section 33, T34 N, R51 E, M.D.M.
  Section 34, T34 N, R51 E, M.D.M.
  Section 35, T34 N, R51 E, M.D.M.
  Section 36, T34 N, R51 E, M.D.M. Section 19, T34 N, R52 E, M.D.M.
  Section 20, T34 N, R52 E, M.D.M.
  Section 28, T34 N, R52 E, M.D.M.
  Section 29, T34 N, R52 E, M.D.M. Section 30, T34 N, R52 E, M.D.M.
  Section 31, T34 N, R52 E, M.D.M.
  Section 32, T34 N, R52 E, M.D.M. Section 33, T34 N, R52 E, M.D.M.
  Section 34, T34 N, R52 E, M.D.M.
  Section 01, T33 N, R51 E, M.D.M. Section 02, T33 N, R51 E, M.D.M. Section 03, T33 N, R51 E, M.D.M.
  Section 04, T33 N, R51 E, M.D.M.
  Section 10, T33 N, R51 E, M.D.M.
Section 11, T33 N, R51 E, M.D.M.
  Section 12, T33 N, R51 E, M.D.M.
  Section 13, T33 N, R51 E, M.D.M.
  Section 14, T33 N, R51 E, M.D.M. Section 23, T33 N, R51 E, M.D.M.
  Section 24, T33 N, R51 E, M.D.M.
  Section 03, T33 N, R52 B, M.D.M. Section 04, T33 N, R52 B, M.D.M.
  Section 05, T33 N, R52 E, M.D.M.
  Section 06, T33 N, R52 E, M.D.M.
  Section 07, T33 N, R52 E, M.D.M. Section 08, T33 N, R52 E, M.D.M.
  Section 09, T33 N, R52 E, M.D.M.
  Section 10, T33 N, R52 E, M.D.M. Section 15, T33 N, R52 E, M.D.M.
  Section 16, T33 N, R52 E, M.D.M.
  Section 17, T33 N, R52 E, M.D.M. Section 18, T33 N, R52 E, M.D.M. Section 19, T33 N, R52 E, M.D.M.
  Section 20, T33 N, R52 E, M.D.M.
  Section 21, T33 N, R52 E, M.D.M. Section 22, T33 N, R52 E, M.D.M.
  Section 27, T33 N, R52 E, M.D.M.
Section 28, T33 N, R52 E, M.D.M.
  Section 29, T33 N, R52 E, M.D.M.
Section 30, T33 N, R52 E, M.D.M.
  Section 31, T33 N, R52 E, M.D.M.
```

Attachment, item 8. Existing Place of Use

```
Section 32, T33 N, R52 E, M.D.M. portion within the natural drainage basin of Maggie Creek section 11, T33 N, R52 E, M.D.M. portion within the natural drainage basin of Maggie Creek Section 14, T33 N, R52 E, M.D.M. portion within the natural drainage basin of Maggie Creek Section 23, T33 N, R52 E, M.D.M. portion within the natural drainage basin of Maggie Creek Section 26, T33 N, R52 E, M.D.M. portion within the natural drainage basin of Maggie Creek Section 34, T33 N, R52 E, M.D.M. portion within the natural drainage basin of Maggie Creek Section 35, T33 N, R52 E, M.D.M. portion within the natural drainage basin of Maggie Creek Section 33, T33 N, R52 E, M.D.M. portion within the natural drainage basin of Mary's Creek Section 34, T33 N, R52 E, M.D.M. portion within the natural drainage basin of Mary's Creek Section 34, T33 N, R52 E, M.D.M. portion within the natural drainage basin of Mary's Creek Section 34, T33 N, R52 E, M.D.M. portion within the natural drainage basin of Mary's Creek Section 34, T33 N, R52 E, M.D.M. portion within the natural drainage basin of Mary's Creek Section 34, T33 N, R52 E, M.D.M. portion within the natural drainage basin of Mary's Creek END
```

STATE ENGINEERS OFFICE

SOUTAPRID AM 9: 21

BECHAED